

Superior Siding & Window Color Match Program


WEATHERMASTER™ *Sealant*



COLOR REFERENCE GUIDE


Titebond®
THE PRO'S ADVANTAGE

Basics



Color availability is subject to change without notice. Color samples are produced by a printing process that may result in slight color variations. For critical color matching, apply sealant to a sample of the substrate, prior to use. It is the responsibility of the user to determine suitability of the product for the particular substrate.

Blue



Clay



Gray




Green



Please note these colors are not indicative of actual color matches. For an accurate color match, contact us at 1.800.877.4583 or contechs@franklininternational.com.

Red



Brown




Beige



Bronze



Yellow



Titebond
THE PRO'S ADVANTAGE

WEATHERMASTER™ SEALANT

- Extrudes easily from 0°F - 100°F
- Available in over 200 colors
- Can be custom color matched to your project
- Paintable in one hour

COMPARISON GUIDE:

	WeatherMaster™	VOC Solvent	Silicone	Urethane	Tripolymer
PAINTABLE	1 hour <small>(Translucent is not paintable.)</small>	2-4 hours	Not Paintable	2-7 days	24 hours
SHRINKAGE	0%	35%	5%	5%	50%
FLEXIBILITY	50%	25%	25%	25%	25%
COLD WEATHER EXTRUSION	0°F / -18°C	20°F / -7°C	-35°F / -37°C	32°F / 0°C	40°F / 4°C
VOC-COMPLIANT	Yes	Yes	Yes	Yes	Yes
SOLVENT FREE	Yes	No	Yes	No	No
ISOCYANATE FREE	Yes	No	Yes	No	Yes
EARTH FRIENDLY	Yes	No	Yes	No	No
ODOR	Slight	Heavy	Mild	Mild	Heavy
SERVICE TEMPERATURE	-75°F to 212°F -59°C to 100°C	-20°F to 200°F -29°C to 93°C	-45°F to 350°F -43°C to 177°C	-40°F to 180°F -40°C to 82°C	-40°F to 180°F -40°C to 82°C

TITEBOND OFFERS:

- One of the most respected brands among pros
- A comprehensive line of products, including construction and flooring adhesives, wood glues, caulks and sealants
- Outstanding marketing, sales and technical support



Visit Titebond.com for the most up-to-date product information.

Franklin International

Sales & Customer Service: 800.669.4583 /
Technical Service: 800.347.4583

